



SWARANIMAKASH LIFESCIENCES PVT. LTD.

CERTIFICATE OF ANALYSIS

Product Name : TRUEBARE PURE HIMALYAN SHILAJIT RESIN			
Batch No. :	PS260406	Sample Qty. :	100 gm
A.R. No :	SAL/QC/FG/2026/0219	Sampled on :	07/05/2026
Mfg. Date :	APR. 2026	Released on :	15/05/2026
Exp. Date :	MAR. 2029		

TEST	SPECIFICATION	Result
Description	Dark Brown coloured thick paste having characteristic odor and taste.	Complies
ASSAY		
Fulvic Acid Content	NLT 75% w/w	76.96 %w/w
pH (10% solution)	5 to 8	5.57
Total solids content	NLT 70 % w/w	75.98 % w/w
Total Ash	NMT 40 % w/w	33.25 % w/w
HEAVY METAL		
Arsenic	NMT 3 ppm	Complies
Lead	NMT 10 ppm	Complies
Mercury	NMT 1 ppm	Complies
Cadmium	NMT 0.3 ppm	Complies
MICROBIOANALYSIS (AS PER API)		
Total Bacterial count	NMT 10 ⁵ cfu/g	340 cfu/g
Yeast & Mold count	NMT 10 ³ cfu/g	<10 cfu/g
Escherichia coli	Absent/g	Absent
Salmonella sps.	Absent/g	Absent
Staphylococcus aureus	Absent/g	Absent
P. aeruginosa	Absent/g	Absent

✓
This material **complies** / ~~does not comply~~ as per In-House Specification.

Analyzed By	Checked By	Approved By
<i>Qarma</i> 15/05/2026	<i>P</i> 15/05/2026	<i>Alubey</i> 15/05/2026

